

C class	Product Information GHP645BK	
	MODEL	GHP645BK
	Energy efficiency classes of domestic range hoods (A-G)	C
	Annual Energy Consumption - AEC hood (kWh/a)	62.6
	Fluid Dynamic Efficiency classes for domestic range hoods (A-G)	C
	Lighting Efficiency classes (A-G)	A
	The Grease Filtering Efficiency classes (A-G)	C
	Sound power level L WA - (dB)	67
	Time increase factor - f	1.3
	Fluid Dynamic Efficiency - FDE hood	18.1
	Energy Efficiency Index - EEI hood	73.2
	Measured air flow rate at best efficiency point - Q BEP (m <sup>3</sup> /h)	300.7
	Measured air pressure at best efficiency point P BEP (Pa)	259.7
	Measured electric power input at best efficiency point - W BEP (W) Nominal	119.6
	power of the lighting system - W L (W)	8
	Average illumination of the lighting system on the cooking surface - E middle (lux) Lighting	662.2
	Efficiency LE hood - (lux/Watt)	82.78
	Grease Filtering Efficiency GFE hood - (%)	82.8
	Minimum airflow (Q min )	376.5m <sup>3</sup> /h
	Maximum air flow - Q max (m <sup>3</sup> /h)	498.3m <sup>3</sup> /h
	Airflow -boost (Q boost )	-
	Minimum sound power level L WA - (dB)	62dB
	Maximum sound power level L WA - (dB)	67dB
	Sound power level-boost L WA - (dB) Measured	-
	power consumption off mode P o (W)	0
	Measured power consumption in standby mode - P s (W)	0
Product fiche according to "COMMISSION DELEGATED REGULATION (EU) No 65/2014 "		